

MSDS Name: M03-2849 Leak Detection Fluid

Revision date: 12/22/05

Page Number 1 of 5

MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT & COMPANY IDENTIFICATION

Product Name: M03-2849 Leak Detection Fluid
CAS Number: N/A
HMIS Rating: Health: 1 Fire: 1 Reactivity: 0

Company Identification: QFM LTD
20 Cadetta Road.
Brampton, Ontario, Canada L6P 0X4

Telephone/Fax: (905) 790-1664 (905) 794-1672
Chemtrec (24 hr Emergency) (800) 424-9300
Product Class: Pigment Dispersion
Trade Name: Leak detection fluid
Product Code: M03-2849

SECTION II - INGREDIENTS/HAZARD INFORMATION

Ingredient Name:	CAS Number	Percent
(No hazardous ingredients known at this time.)		

SECTION III - HAZARD IDENTIFICATION

EYE CONTACT

May cause irritation.

SKIN CONTACT

May cause irritation.

INHALATION HAZARDS

May cause irritation.

TARGET ORGANS

No organs affected.

CANCER HAZARDS

No hazards associated with this product.

SECTION IV - FIRST AID MEASURES

EYE CONTACT

Immediately flush with water for at least 15 minutes while holding eyelids open. Call a physician.

SKIN CONTACT

Practice good industrial hygiene. Wash with soap and water.

INGESTION

Do not induce vomiting. Give water. Call a physician.

MSDS Name: M03-2849 Leak Detection Fluid

Revision date: 12/22/05

Page Number 3 of 5

SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH TLV	ACGIH TLV-C	ACGIH STEL	OSHA STEL	OSHA PEL
-----------	-------------	------------	-----------	----------

No exposure limits have been established for this product.

ENGINEERING CONTROLS

General ventilation is recommended. Additional local exhaust ventilation is recommended where ducts, mists or vapours may be released.

RESPIRATORY PROTECTION (Specify type)

Use full face niosh approved for organic vapour when product is hot.

PERSONAL PROTECTIVE EQUIPMENT

Where contact is likely, chemical resistant gloves and safety glasses or goggles are recommended.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Form:	liquid
Appearance/Colour:	white emulsion
Odour:	Odourless
Solubility (in water):	insoluble
Boiling Range:	N/A
Evaporation Rate:	N/A
Vapour Density:	N/A
% Volatile Weight:	0.%
% Volatile Volume	0.%
Weight/Gallon:	
VOC:	None

SECTION X - STABILITY AND REACTIVITY

Stability:	This product is stable
Hazardous Polymerization:	Hazardous polymerization will not occur

CONDITIONS TO AVOID

Heat, sparks and open flame.

INCOMPATIBILITIES

Avoid contact with acids.

SECTION XI - TOXICOLOGICAL INFORMATION

No toxicological studies have been conducted on this product.

SECTION XII - ECOLOGICAL INFORMATION

No studies have been conducted on this product.

SECTION XIII - DISPOSAL CONSIDERATIONS

MSDS Name: M03-2849 Leak Detection Fluid

Revision date: 12/22/05

Page Number 4 of 5

Dispose of in accordance with local, state and federal regulations.

SECTION XIV - TRANSPORTATION INFORMATION

UN Number NOT REGULATED

Packaging Group

Hazard Class

Shipping Name

SECTION XV - REGULATORY INFORMATION

SARA TITLE III - SECTION 313:

This product contains no chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and community Right-to-Know Act.

OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200

This product is not considered hazardous as defined.

SARA SECTIONS 311 AND 312

Reporting of this product is not required.

TOXIC SUBSTANCES CONTROL ACT (TSCA)

All components in this product are listed, or are excluded from listing on the US Toxic Substances Control Act (TSCA) 8 (b) inventory.

CLEAN WATER ACT

This product contains no ingredients regulated by the Clean Water Act.

CLEAR AIR ACT

This product contains no ingredients regulated by the Clean Air Act.

HAZARDOUS AIR POLLUTANTS (HAPS)

This product contains no Hazardous Air Pollutants (HAP's).

CLEAN AIR ACT AMMENDMENTS (ODS)

The product does not contain an ozone depleting substance (ODS), nor is the product manufactured with them.

COALITION OF NORTHEAST GOVERNORS (CONEG)

This product is in compliance with CONEG (i.e. total cadmium, chromium, lead and mercury < 100 ppm)

SECTION XVI - OTHER INFORMATION

LABEL INFORMATION

M03-2849 Leak Detection Fluid

HEALTH - 1 FLAMMABILITY - 1 REACTIVITY - 0

PRECAUTIONS: Avoid contact with skin and eyes. Use and store with adequate ventilation. For industrial use only.

FIRST AID: EYES: Flush with water for 15 minutes. SKIN: Wash with soap and water

INGESTION: Do not induce vomiting, give water. Call a physician.

FIRE FIGHTING USE: Water spray, dry chemical, foam or CO₂ (Toxic fumes emitted on burning.)

MSDS Name: M03-2849 Leak Detection Fluid

Revision date: 12/22/05

Page Number 5 of 5

SPILL CONTROL: Contain and dispose according to local, state and federal regulations.

CONTAINS:

Mineral oil N/A

TARGET ORGANS: No organs affected.

MATERIAL V.O.C. None

NOTE - Additional information is available from your Employer and the Material Safety Data Sheet.

DISCLAIMER:

The information contained herein is believed to be accurate, but is not warranted. Nothing contained herein constitutes a specification nor is it intended to warrant suitability for the intended use.